



C.1000 SINGLE CHARGER L.3000



Dimensions: 76 x 131 x 57 mm Weight: 0,500 Kg Marking: CE / E-Mark Feeding source: AC: 100/240V 50/60 Hz Ingress protection: IP54 Charging status: red LED: charging / green LED: charged

C.2000 CHARGER FOR 2 L.3000



Dimensions: 181 x 102 x 57 mm Weight: 0,900 Kg Marking: CE / E-Mark Feeding source: AC: 100/240V 50/60 Hz Ingress protection: IP54 Charging status: red LED: charging / green LED: charged

C.3000 CHARGER FOR 3 L.3000



Dimensions: 256 x 102 x 57 mm Weight: 1,300 Kg Marking: CE / E-Mark Feeding source: AC: 100/240V 50/60 Hz Ingress protection: IP54 Charging status: red LED: charging / green LED: charged

www.adalit.com



Customer Service Tel.: +34 985 347 806 Fax: +34 985 358 378 info@adalit.com





C.5000 CHARGER FOR 5 L.3000



Dimensions: 406 x 102 x 57 mm Weight: 2,100 Kg Marking: CE / E-Mark Feeding source: AC: 100/240V 50/60 Hz Ingress protection: IP54 Charging status: red LED: charging / green LED: charged

CV.1000.12V SINGLE CHARGER FOR VEHICLE L.3000



Dimensions: 76 x 131 x 57 mm Weight: 0,500 Kg Marking: CE / E-Mark Feeding source: DC: 12V Ingress protection: IP54 Charging status: red LED: charging / green LED: charged

CV.1000.24V SINGLE CHARGER FOR VEHICLE L.3000



Dimensions: 76 x 131 x 57 mm Weight: 0,500 Kg Marking: CE / E-Mark Feeding source: DC: 12V / 24V Ingress protection: IP54

Charging status: red LED: charging / green LED: charged

www.adalit.com



Customer Service Tel.: +34 985 347 806 Fax: +34 985 358 378 info@adalit.com





CV.2000 CHARGER FOR VEHICLE FOR 2 L.3000



Dimensions: 181 x 102 x 57 mm Weight: 0,900 Kg Marking: CE / E-Mark Feeding source: DC: 12V / 24V Ingress protection: IP54 Charging status: red LED: charging / green LED: charged

CV.3000 CHARGER FOR VEHICLE FOR 3 L.3000



Dimensions: 256 x 102 x 57 mm Weight: 1,300 Kg Marking: CE / E-Mark Feeding source: DC: 12V / 24V Ingress protection: IP54 Charging status: red LED: charging / green LED: charged

CV.5000 CHARGER FOR VEHICLE FOR 5 L.3000



Dimensions: 406 x 102 x 57 mm Weight: 2,100 Kg Marking: CE / E-Mark Feeding source: DC: 12V / 24V Ingress protection: IP54 Charging status: red LED: charging / green LED: charged

www.adalit.com



Customer Service Tel.: +34 985 347 806 Fax: +34 985 358 378 info@adalit.com